

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
A1. Subject ID	SUBJECT_ID						
<created var> Age at randomization	RAND_D_AGE			198(0)	3.28(2.25)	2.90(1.50,4.70)	0.20-12.30
<created var> Time from randomization to drug/placebo started(day)	RAND_D_DRUG			196(2)	0.19(0.39)	0.00(0.00,0.00)	0.00-1.00
A3.<created var> Age at hospital admission)	F4ADM_D_AGE			198(0)	3.28(2.25)	2.90(1.50,4.70)	0.20-12.30
A3.<created var>Time from hospital admission started to drug/placebo started(day)	F4ADM_D_DRUG			196(2)	0.73(1.02)	0.50(0.00,1.00)	0.00-5.00
A4.<created var> Age at hospital discharge	F4DSCH_D_AGE			198(0)	3.28(2.25)	2.90(1.50,4.70)	0.20-12.30
A4.<created var> Time from drug/placebo started to hospital discharge(day)	F4DSCH_D_DRUG			196(2)	1.96(1.36)	2.00(1.00,2.00)	0.00-12.00
<created var> Length of stay: Days from randomization to discharge	LOS			198(0)	3.15(1.34)	3.00(3.00,3.00)	1.00-14.00
B1. Height/Length at assessment (cm, x 0.3937=inches)	F4HEIGHT			196(2)	94.89(19.02)	94.00(79.00,108.15)	56.00-155.00
B2. Weight at assessment (kg, x 2.2046=lbs)	F4WEIGHT			198(0)	15.49(7.43)	13.83(10.40,18.60)	4.85-60.50
<created var> BMI at assessment (kg/m**2)	F4BMI			196(2)	16.51(2.42)	16.15(15.00,17.76)	11.61-28.93
B3. Associated findings/events in 10 days preceding study	F4NUMFND			198(0)	4.44(3.02)	4.00(2.00,6.00)	0.00-14.00
<created var> Concatenation of ALL pre-hospital findings/events	EVENTS			()	()	(,)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
<created var> Concatenation of ALL 'other' pre-hospital findings/events	EVENTS_SP			()	()	(.)	-
<created var> Findings/Events 10 days prior to enrollment: _ _ _ _ _ (0)	EVENTCODE_0	A-0001: Abdominal pain	8(4.0)				
		A-0004: Anemia (Hct <30 mg/dl)	2(1.0)				
		A-0006: Arthralgia	4(2.0)				
		A-0012: Arthritis, knees	1(0.5)				
		A-0018: Bulbar conjunctivitis	4(2.0)				
		A-0019: Cervical lymphadenopathy (>1.5 cm)	1(0.5)				
		A-0021: Cough	17(8.6)				
		A-0024: Desquamation, genitourinary area	4(2.0)				
		A-0025: Desquamation, lips	1(0.5)				
		A-0027: Diarrhea	12(6.1)				
		A-0029: Dysuria	2(1.0)				
		A-0034: Excema	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0035: Fluid retention/Edema	1(0.5)				
		A-0037: Headache	5(2.5)				
		A-0046: Insomnia	1(0.5)				
		A-0047: Irritability	31(15.7)				
		A-0051: Periungual desquamation, hands	1(0.5)				
		A-0053: Pneumonia (documented by chest x-ray)	2(1.0)				
		A-0057: Rash, new onset	4(2.0)				
		A-0058: Rash, hives	1(0.5)				
		A-0062: Rhinorrhea	5(2.5)				
		A-0067: Seizures	1(0.5)				
		A-0072: Sudden increase in fever	5(2.5)				
		A-0074: Vomiting	29(14.6)				
		A-9999: Other non-cardiac, specify	47(23.7)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		B-9999: Other cardiac, specify	2(1.0)				
		<i>Missing</i>	6(3.0)				
<created var> Findings/Events 10 days prior to enrollment: _-_-_-_(1)	EVENTCODE_1	A-0001: Abdominal pain	10(5.1)				
		A-0002: Acne	1(0.5)				
		A-0006: Arthralgia	5(2.5)				
		A-0009: Arthritis, ankles	1(0.5)				
		A-0012: Arthritis, knees	1(0.5)				
		A-0018: Bulbar conjunctivitis	3(1.5)				
		A-0019: Cervical lymphadenopathy (>1.5 cm)	2(1.0)				
		A-0021: Cough	10(5.1)				
		A-0024: Desquamation, genitourinary area	1(0.5)				
		A-0025: Desquamation, lips	1(0.5)				
		A-0027: Diarrhea	16(8.1)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0028: Dyspnea	1(0.5)				
		A-0031: Encephalitis	1(0.5)				
		A-0032: Erythema, palms	2(1.0)				
		A-0035: Fluid retention/Edema	1(0.5)				
		A-0037: Headache	1(0.5)				
		A-0040: Hives	1(0.5)				
		A-0047: Irritability	15(7.6)				
		A-0051: Periungual desquamation, hands	1(0.5)				
		A-0057: Rash, new onset	6(3.0)				
		A-0062: Rhinorrhea	6(3.0)				
		A-0071: Strep throat (confirmed by throat culture)	3(1.5)				
		A-0072: Sudden increase in fever	1(0.5)				
		A-0074: Vomiting	20(10.1)				
		A-0075: Weakness	4(2.0)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-9999: Other non-cardiac, specify	50(25.3)				
		<i>Missing</i>	34(17.2)				
<created var> Findings/Events 10 days prior to enrollment: _-_-_-_- (2)	EVENTCODE_2	A-0001: Abdominal pain	6(3.0)				
		A-0006: Arthralgia	2(1.0)				
		A-0007: Arthritis, proximal interphalangeal (PIP) join	1(0.5)				
		A-0011: Arthritis, hips	1(0.5)				
		A-0018: Bulbar conjunctivitis	3(1.5)				
		A-0019: Cervical lymphadenopathy (>1.5 cm)	2(1.0)				
		A-0021: Cough	4(2.0)				
		A-0024: Desquamation, genitourinary area	1(0.5)				
		A-0025: Desquamation, lips	1(0.5)				
		A-0027: Diarrhea	8(4.0)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0028: Dyspnea	1(0.5)				
		A-0032: Erythema, palms	1(0.5)				
		A-0033: Erythema, soles	1(0.5)				
		A-0035: Fluid retention/Edema	2(1.0)				
		A-0037: Headache	2(1.0)				
		A-0046: Insomnia	1(0.5)				
		A-0047: Irritability	20(10.1)				
		A-0057: Rash, new onset	1(0.5)				
		A-0062: Rhinorrhea	4(2.0)				
		A-0067: Seizures	1(0.5)				
		A-0070: Strawberry tongue	4(2.0)				
		A-0072: Sudden increase in fever	2(1.0)				
		A-0073: Torticollis	1(0.5)				
		A-0074: Vomiting	17(8.6)				
		A-0075: Weakness	3(1.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-9999: Other non-cardiac, specify	49(24.7)				
		<i>Missing</i>	59(29.8)				
<created var> Findings/Events 10 days prior to enrollment: _-_-_-_- (3)	EVENTCODE_3	A-0001: Abdominal pain	2(1.0)				
		A-0006: Arthralgia	1(0.5)				
		A-0012: Arthritis, knees	3(1.5)				
		A-0018: Bulbar conjunctivitis	2(1.0)				
		A-0019: Cervical lymphadenopathy (>1.5 cm)	3(1.5)				
		A-0021: Cough	10(5.1)				
		A-0024: Desquamation, genitourinary area	2(1.0)				
		A-0027: Diarrhea	5(2.5)				
		A-0028: Dyspnea	1(0.5)				
		A-0030: Elevated liver function tests (>2x normal)	1(0.5)				
		A-0032: Erythema, palms	2(1.0)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0033: Erythema, soles	1(0.5)				
		A-0037: Headache	2(1.0)				
		A-0047: Irritability	15(7.6)				
		A-0051: Periungual desquamation, hands	1(0.5)				
		A-0057: Rash, new onset	1(0.5)				
		A-0062: Rhinorrhea	1(0.5)				
		A-0070: Strawberry tongue	2(1.0)				
		A-0074: Vomiting	9(4.5)				
		A-0075: Weakness	3(1.5)				
		A-9999: Other non-cardiac, specify	39(19.7)				
		B-0007: Chest pain, not likely to be cardiac	1(0.5)				
		<i>Missing</i>	91(46.0)				
<created var> Findings/Events 10 days prior to enrollment: _-_-_-_(4)	EVENTCODE_4	A-0004: Anemia (Hct <30 mg/dl)	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0015: Aseptic meningitis (confirmed by Lumbar Punctu	1(0.5)				
		A-0018: Bulbar conjunctivitis	2(1.0)				
		A-0021: Cough	4(2.0)				
		A-0024: Desquamation, genitourinary area	1(0.5)				
		A-0025: Desquamation, lips	1(0.5)				
		A-0027: Diarrhea	3(1.5)				
		A-0029: Dysuria	2(1.0)				
		A-0032: Erythema, palms	2(1.0)				
		A-0033: Erythema, soles	2(1.0)				
		A-0035: Fluid retention/Edema	2(1.0)				
		A-0037: Headache	3(1.5)				
		A-0044: Hypotension (SBP<5th percentile)	1(0.5)				
		A-0046: Insomnia	2(1.0)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0047: Irritability	8(4.0)				
		A-0051: Periungual desquamation, hands	2(1.0)				
		A-0052: Periungual desquamation, feet	2(1.0)				
		A-0057: Rash, new onset	2(1.0)				
		A-0062: Rhinorrhea	4(2.0)				
		A-0070: Strawberry tongue	1(0.5)				
		A-0074: Vomiting	5(2.5)				
		A-0075: Weakness	1(0.5)				
		A-9999: Other non-cardiac, specify	33(16.7)				
		<i>Missing</i>	113(57.1)				
<created var> Findings/Events 10 days prior to enrollment: _-____ (5)	EVENTCODE_5	A-0001: Abdominal pain	2(1.0)				
		A-0021: Cough	3(1.5)				
		A-0027: Diarrhea	3(1.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0030: Elevated liver function tests (>2x normal)	2(1.0)				
		A-0034: Exccema	1(0.5)				
		A-0035: Fluid retention/Edema	1(0.5)				
		A-0036: Flushing	1(0.5)				
		A-0037: Headache	1(0.5)				
		A-0045: Increased appetite	1(0.5)				
		A-0047: Irritability	3(1.5)				
		A-0048: Mood changes	1(0.5)				
		A-0057: Rash, new onset	1(0.5)				
		A-0062: Rhinorrhea	1(0.5)				
		A-0070: Strawberry tongue	1(0.5)				
		A-0074: Vomiting	2(1.0)				
		A-9999: Other non-cardiac, specify	36(18.2)				
		<i>Missing</i>	138(69.7)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
<created var> Findings/Events 10 days prior to enrollment: _ _ _ _ (6)	EVENTCODE_6	A-0001: Abdominal pain	3(1.5)				
		A-0009: Arthritis, ankles	1(0.5)				
		A-0012: Arthritis, knees	1(0.5)				
		A-0021: Cough	2(1.0)				
		A-0027: Diarrhea	1(0.5)				
		A-0028: Dyspnea	1(0.5)				
		A-0029: Dysuria	1(0.5)				
		A-0030: Elevated liver function tests (>2x normal)	1(0.5)				
		A-0044: Hypotension (SBP<5th percentile)	1(0.5)				
		A-0046: Insomnia	1(0.5)				
		A-0047: Irritability	4(2.0)				
		A-0051: Periungual desquamation, hands	1(0.5)				
		A-0062: Rhinorrhea	3(1.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0070: Strawberry tongue	1(0.5)				
		A-9999: Other non-cardiac, specify	18(9.1)				
		<i>Missing</i>	158(79.8)				
<created var> Findings/Events 10 days prior to enrollment: _-_-_-_- (7)	EVENTCODE_7	A-0006: Arthralgia	2(1.0)				
		A-0013: Arthritis, shoulders	1(0.5)				
		A-0018: Bulbar conjunctivitis	2(1.0)				
		A-0021: Cough	2(1.0)				
		A-0030: Elevated liver function tests (>2x normal)	1(0.5)				
		A-0041: Hydrops of gall bladder (documented by ultraso	1(0.5)				
		A-0047: Irritability	1(0.5)				
		A-0057: Rash, new onset	2(1.0)				
		A-0058: Rash, hives	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0070: Strawberry tongue	1(0.5)				
		A-0074: Vomiting	2(1.0)				
		A-9999: Other non-cardiac, specify	14(7.1)				
		B-0024: Tachycardia (sinus rhythm >200 bpm)	2(1.0)				
		<i>Missing</i>	166(83.8)				
<created var> Findings/Events 10 days prior to enrollment: __-__-__(8)	EVENTCODE_8	A-0001: Abdominal pain	2(1.0)				
		A-0012: Arthritis, knees	1(0.5)				
		A-0018: Bulbar conjunctivitis	4(2.0)				
		A-0019: Cervical lymphadenopathy (>1.5 cm)	1(0.5)				
		A-0021: Cough	2(1.0)				
		A-0028: Dyspnea	2(1.0)				
		A-0037: Headache	1(0.5)				
		A-0047: Irritability	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0051: Periungual desquamation, hands	1(0.5)				
		A-0062: Rhinorrhea	2(1.0)				
		A-0074: Vomiting	1(0.5)				
		A-9999: Other non-cardiac, specify	6(3.0)				
		B-9999: Other cardiac, specify	1(0.5)				
		<i>Missing</i>	173(87.4)				
<created var> Findings/Events 10 days prior to enrollment: _-_-_-_(9)	EVENTCODE_9	A-0001: Abdominal pain	3(1.5)				
		A-0021: Cough	1(0.5)				
		A-0024: Desquamation, genitourinary area	2(1.0)				
		A-0025: Desquamation, lips	1(0.5)				
		A-0035: Fluid retention/Edema	1(0.5)				
		A-0057: Rash, new onset	1(0.5)				
		A-0062: Rhinorrhea	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0064: Sepsis, suspected (not confirmed)	1(0.5)				
		A-0074: Vomiting	1(0.5)				
		A-9999: Other non-cardiac, specify	5(2.5)				
		B-0012: Gallop	1(0.5)				
		<i>Missing</i>	180(90.9)				
<created var> Findings/Events 10 days prior to enrollment: __-__-__(10)	EVENTCODE_10	A-0009: Arthritis, ankles	1(0.5)				
		A-0035: Fluid retention/Edema	1(0.5)				
		A-0037: Headache	1(0.5)				
		A-9999: Other non-cardiac, specify	5(2.5)				
		<i>Missing</i>	190(96.0)				
<created var> Findings/Events 10 days prior to enrollment: __-__-__(11)	EVENTCODE_11	A-0018: Bulbar conjunctivitis	1(0.5)				
		A-0022: Cyanosis	1(0.5)				
		A-0032: Erythema, palms	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0041: Hydrops of gall bladder (documented by ultraso	1(0.5)				
		<i>Missing</i>	194(98.0)				
<created var> Findings/Events 10 days prior to enrollment: _-____ (12)	EVENTCODE_12	A-0027: Diarrhea	1(0.5)				
		A-9999: Other non-cardiac, specify	1(0.5)				
		<i>Missing</i>	196(99.0)				
<created var> Findings/Events 10 days prior to enrollment: _-____ (13)	EVENTCODE_13	A-0025: Desquamation, lips	1(0.5)				
		B-0024: Tachycardia (sinus rhythm >200 bpm)	1(0.5)				
		<i>Missing</i>	196(99.0)				
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (0)	F4CD1_1_0			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (1)	F4CD1_1_1			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (2)	F4CD1_1_2			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (3)	F4CD1_1_3			0	0	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (4)	F4CD1_1_4			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (5)	F4CD1_1_5			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (6)	F4CD1_1_6			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (7)	F4CD1_1_7			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (8)	F4CD1_1_8			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (9)	F4CD1_1_9			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (10)	F4CD1_1_10			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (11)	F4CD1_1_11			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (12)	F4CD1_1_12			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (first character): _-____ (13)	F4CD1_1_13			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (0)	F4CD2_1_0			0	0	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (1)	F4CD2_1_1			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (2)	F4CD2_1_2			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (3)	F4CD2_1_3			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (4)	F4CD2_1_4			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (5)	F4CD2_1_5			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (6)	F4CD2_1_6			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (7)	F4CD2_1_7			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (8)	F4CD2_1_8			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (9)	F4CD2_1_9			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (10)	F4CD2_1_10			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (11)	F4CD2_1_11			0	0	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (12)	F4CD2_1_12			0	0	(.)	-
B3. Findings/Events 10 days prior to enrollment (last 4 characters): _-____ (13)	F4CD2_1_13			0	0	(.)	-
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (0)	EVNT_1_0			0	0	(.)	-
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (1)	EVNT_1_1			0	0	(.)	-
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (2)	EVNT_1_2			0	0	(.)	-
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (3)	EVNT_1_3			0	0	(.)	-
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (4)	EVNT_1_4			0	0	(.)	-
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (5)	EVNT_1_5			0	0	(.)	-
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (6)	EVNT_1_6			0	0	(.)	-
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (7)	EVNT_1_7			0	0	(.)	-
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (8)	EVNT_1_8			0	0	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (9)	EVNT_1_9			0	0	(.)	-
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (10)	EVNT_1_10			0	0	(.)	-
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (11)	EVNT_1_11			0	0	(.)	-
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (12)	EVNT_1_12			0	0	(.)	-
B3. Associated Findings/Events 10 days prior to enrollment: Specify Other (13)	EVNT_1_13			0	0	(.)	-
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (0) is recorded	EVNTD_1_0_AGE			184(14)	3.29(2.28)	2.90(1.50,4.75)	0.20-12.30
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (0)is recorded to drug/placebo started(day)	EVNTD_1_0_DRUG			182(16)	4.09(2.44)	4.00(2.00,6.00)	0.00-11.00
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (1) is recorded	EVNTD_1_1_AGE			160(38)	3.38(2.32)	3.15(1.50,4.85)	0.20-12.30
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (1)is recorded to drug/placebo started(day)	EVNTD_1_1_DRUG			158(40)	3.95(2.53)	4.00(2.00,6.00)	-5.00-10.00

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (2) is recorded	EVNTD_1_2_AGE		133(65)		3.58(2.39)	3.30(1.50,5.00)	0.20-12.30
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (2)is recorded to drug/placebo started(day)	EVNTD_1_2_DRUG		131(67)		6.73(31.92)	4.00(2.00,6.00)	0.00-367.00
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (3) is recorded	EVNTD_1_3_AGE		104(94)		3.81(2.33)	3.45(1.80,5.30)	0.30-12.30
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (3)is recorded to drug/placebo started(day)	EVNTD_1_3_DRUG		102(96)		3.11(2.42)	3.00(1.00,5.00)	-3.00-10.00
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (4) is recorded	EVNTD_1_4_AGE		84(114)		99.08(873.08)	3.65(1.80,5.45)	0.30-8005.70
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (4)is recorded to drug/placebo started(day)	EVNTD_1_4_DRUG		83(115)		-35186.19(320588.91)	2.00(1.00,5.00)	-2920701.00-9.00
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (5) is recorded	EVNTD_1_5_AGE		59(139)		3.96(2.59)	3.80(1.80,5.50)	0.30-12.30
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (5)is recorded to drug/placebo started(day)	EVNTD_1_5_DRUG		58(140)		3.05(2.34)	2.00(1.00,5.00)	0.00-9.00

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (6) is recorded	EVNTD_1_6_AGE			38(160)	4.04(2.77)	4.00(1.50,5.30)	0.30-12.30
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (6)is recorded to drug/placebo started(day)	EVNTD_1_6_DRUG			37(161)	2.59(1.92)	2.00(1.00,4.00)	0.00-7.00
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (7) is recorded	EVNTD_1_7_AGE			32(166)	3.62(2.49)	3.85(1.30,4.85)	0.30-11.60
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (7)is recorded to drug/placebo started(day)	EVNTD_1_7_DRUG			31(167)	2.84(1.90)	2.00(2.00,4.00)	0.00-8.00
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (8) is recorded	EVNTD_1_8_AGE			25(173)	3.38(2.17)	3.50(1.10,4.70)	0.30-7.90
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (8)is recorded to drug/placebo started(day)	EVNTD_1_8_DRUG			24(174)	4.29(6.47)	2.50(1.00,5.00)	0.00-33.00
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (9) is recorded	EVNTD_1_9_AGE			18(180)	3.39(2.33)	3.50(1.00,4.90)	0.30-7.90
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (9)is recorded to drug/placebo started(day)	EVNTD_1_9_DRUG			18(180)	2.39(2.12)	2.00(1.00,3.00)	0.00-9.00

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (10) is recorded	EVNTD_1_10_AGE		8(190)		4.14(2.12)	4.00(3.20,5.15)	0.50-7.90
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (10)is recorded to drug/placebo started(day)	EVNTD_1_10_DRUG		8(190)		3.13(3.14)	2.00(0.50,6.00)	0.00-8.00
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (11) is recorded	EVNTD_1_11_AGE		4(194)		5.55(1.68)	5.15(4.40,6.70)	4.00-7.90
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (11)is recorded to drug/placebo started(day)	EVNTD_1_11_DRUG		4(194)		1.50(0.58)	1.50(1.00,2.00)	1.00-2.00
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (12) is recorded	EVNTD_1_12_AGE		2(196)		6.35(2.19)	6.35(4.80,7.90)	4.80-7.90
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (12)is recorded to drug/placebo started(day)	EVNTD_1_12_DRUG		2(196)		4.50(3.54)	4.50(2.00,7.00)	2.00-7.00
B3.<created var> Age when Associated Findings/Events Date 10 days prior to enrollment (13) is recorded	EVNTD_1_13_AGE		2(196)		6.35(2.19)	6.35(4.80,7.90)	4.80-7.90
B3.<created var> Time from Associated Findings/Events Date 10 days prior to enrollment (13)is recorded to drug/placebo started(day)	EVNTD_1_13_DRUG		2(196)		2.50(2.12)	2.50(1.00,4.00)	1.00-4.00

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
B4. Medications used in 10 days preceding study	NUMMEDS1			198(0)	3.14(1.78)	3.00(2.00,4.00)	0.00-13.00
<created var> Concatenation of ALL pre-hospital meds	MEDS			()	()	(,)	-
<created var> Concatenation of ALL 'other' pre-hospital meds	MEDS_SP			()	()	(,)	-
<created var> Medication 10 days prior to enrollment: _ _ _ _ (0)	MEDCODE_0	03.00-03.99: Antibiotics	87(43.9)				
		07.00-07.99: Antithrombotics	1(0.5)				
		10.00-10.99: Bronchodilators	3(1.5)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	103(52.0)				
		99.99: Unclassified	2(1.0)				
		<i>Missing</i>	2(1.0)				
<created var> Medication 10 days prior to enrollment: _ _ _ _ (1)	MEDCODE_1	03.00-03.99: Antibiotics	51(25.8)				
		07.00-07.99: Antithrombotics	1(0.5)				
		08.00-08.99: Beta Blockers	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		09.00-09.99: Biologics	1(0.5)				
		10.00-10.99: Bronchodilators	7(3.5)				
		16.00-16.99: Gastrointestinals	1(0.5)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	104(52.5)				
		99.99: Unclassified	6(3.0)				
		<i>Missing</i>	26(13.1)				
<created var> Medication 10 days prior to enrollment: _ _ _ _ (2)	MEDCODE_2	03.00-03.99: Antibiotics	46(23.2)				
		05.00-05.99: Antiemetics	1(0.5)				
		10.00-10.99: Bronchodilators	5(2.5)				
		15.00-15.99: Electrolytes	2(1.0)				
		16.00-16.99: Gastrointestinals	1(0.5)				
		18.00-18.99: Hormonal Agents	2(1.0)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	62(31.3)				
		99.99: Unclassified	3(1.5)				
		<i>Missing</i>	76(38.4)				
<created var> Medication 10 days prior to enrollment: ____ (3)	MEDCODE_3	03.00-03.99: Antibiotics	17(8.6)				
		09.00-09.99: Biologics	2(1.0)				
		10.00-10.99: Bronchodilators	2(1.0)				
		16.00-16.99: Gastrointestinals	1(0.5)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	28(14.1)				
		99.99: Unclassified	12(6.1)				
		<i>Missing</i>	136(68.7)				
<created var> Medication 10 days prior to enrollment: ____ (4)	MEDCODE_4	03.00-03.99: Antibiotics	4(2.0)				
		09.00-09.99: Biologics	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		10.00-10.99: Bronchodilators	1(0.5)				
		14.00-14.99: Diuretics	1(0.5)				
		19.00-19.99: Inotropic Agents	1(0.5)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	20(10.1)				
		99.99: Unclassified	7(3.5)				
		<i>Missing</i>	163(82.3)				
<created var> Medication 10 days prior to enrollment: ____ (5)	MEDCODE_5	03.00-03.99: Antibiotics	4(2.0)				
		16.00-16.99: Gastrointestinals	1(0.5)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	9(4.5)				
		99.99: Unclassified	1(0.5)				
		<i>Missing</i>	183(92.4)				
<created var> Medication 10 days prior to enrollment: ____ (6)	MEDCODE_6	03.00-03.99: Antibiotics	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		16.00-16.99: Gastrointestinals	1(0.5)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	3(1.5)				
		<i>Missing</i>	193(97.5)				
<created var> Medication 10 days prior to enrollment: _ _ _ _ (7)	MEDCODE_7	03.00-03.99: Antibiotics	3(1.5)				
		16.00-16.99: Gastrointestinals	1(0.5)				
		<i>Missing</i>	194(98.0)				
<created var> Medication 10 days prior to enrollment: _ _ _ _ (8)	MEDCODE_8	03.00-03.99: Antibiotics	1(0.5)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	1(0.5)				
		<i>Missing</i>	196(99.0)				
<created var> Medication 10 days prior to enrollment: _ _ _ _ (9)	MEDCODE_9	03.00-03.99: Antibiotics	2(1.0)				
		<i>Missing</i>	196(99.0)				
<created var> Medication 10 days prior to enrollment: _ _ _ _ (10)	MEDCODE_10	03.00-03.99: Antibiotics	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	1(0.5)				
		<i>Missing</i>	196(99.0)				
<created var> Medication 10 days prior to enrollment: ____ (11)	MEDCODE_11	03.00-03.99: Antibiotics	2(1.0)				
		<i>Missing</i>	196(99.0)				
<created var> Medication 10 days prior to enrollment: ____ (12)	MEDCODE_12	03.00-03.99: Antibiotics	1(0.5)				
		10.00-10.99: Bronchodilators	1(0.5)				
		<i>Missing</i>	196(99.0)				
B4. Medication 10 days prior to enrollment (first 2 digits): ____ (0)	MEDS1_1_0			0	0	(,)	-
B4. Medication 10 days prior to enrollment (first 2 digits): ____ (1)	MEDS1_1_1			0	0	(,)	-
B4. Medication 10 days prior to enrollment (first 2 digits): ____ (2)	MEDS1_1_2			0	0	(,)	-
B4. Medication 10 days prior to enrollment (first 2 digits): ____ (3)	MEDS1_1_3			0	0	(,)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
B4. Medication 10 days prior to enrollment (first 2 digits): _ _ _ _ (4)	MEDS1_1_4			0	0	(.)	-
B4. Medication 10 days prior to enrollment (first 2 digits): _ _ _ _ (5)	MEDS1_1_5			0	0	(.)	-
B4. Medication 10 days prior to enrollment (first 2 digits): _ _ _ _ (6)	MEDS1_1_6			0	0	(.)	-
B4. Medication 10 days prior to enrollment (first 2 digits): _ _ _ _ (7)	MEDS1_1_7			0	0	(.)	-
B4. Medication 10 days prior to enrollment (first 2 digits): _ _ _ _ (8)	MEDS1_1_8			0	0	(.)	-
B4. Medication 10 days prior to enrollment (first 2 digits): _ _ _ _ (9)	MEDS1_1_9			0	0	(.)	-
B4. Medication 10 days prior to enrollment (first 2 digits): _ _ _ _ (10)	MEDS1_1_10			0	0	(.)	-
B4. Medication 10 days prior to enrollment (first 2 digits): _ _ _ _ (11)	MEDS1_1_11			0	0	(.)	-
B4. Medication 10 days prior to enrollment (first 2 digits): _ _ _ _ (12)	MEDS1_1_12			0	0	(.)	-
B4. Medication 10 days prior to enrollment (last 2 digits): _ _ _ _ (0)	MEDS2_1_0			0	0	(.)	-
B4. Medication 10 days prior to enrollment (last 2 digits): _ _ _ _ (1)	MEDS2_1_1			0	0	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
B4. Medication 10 days prior to enrollment (last 2 digits): _ _ _ _ (2)	MEDS2_1_2			0	0	(.)	-
B4. Medication 10 days prior to enrollment (last 2 digits): _ _ _ _ (3)	MEDS2_1_3			0	0	(.)	-
B4. Medication 10 days prior to enrollment (last 2 digits): _ _ _ _ (4)	MEDS2_1_4			0	0	(.)	-
B4. Medication 10 days prior to enrollment (last 2 digits): _ _ _ _ (5)	MEDS2_1_5			0	0	(.)	-
B4. Medication 10 days prior to enrollment (last 2 digits): _ _ _ _ (6)	MEDS2_1_6			0	0	(.)	-
B4. Medication 10 days prior to enrollment (last 2 digits): _ _ _ _ (7)	MEDS2_1_7			0	0	(.)	-
B4. Medication 10 days prior to enrollment (last 2 digits): _ _ _ _ (8)	MEDS2_1_8			0	0	(.)	-
B4. Medication 10 days prior to enrollment (last 2 digits): _ _ _ _ (9)	MEDS2_1_9			0	0	(.)	-
B4. Medication 10 days prior to enrollment (last 2 digits): _ _ _ _ (10)	MEDS2_1_10			0	0	(.)	-
B4. Medication 10 days prior to enrollment (last 2 digits): _ _ _ _ (11)	MEDS2_1_11			0	0	(.)	-
B4. Medication 10 days prior to enrollment (last 2 digits): _ _ _ _ (12)	MEDS2_1_12			0	0	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
B4. Specify Other Medication Name, 10 days prior to enrollment (0)	MEDSN_1_0			0	0	(.)	-
B4. Specify Other Medication Name, 10 days prior to enrollment (1)	MEDSN_1_1			0	0	(.)	-
B4. Specify Other Medication Name, 10 days prior to enrollment (2)	MEDSN_1_2			0	0	(.)	-
B4. Specify Other Medication Name, 10 days prior to enrollment (3)	MEDSN_1_3			0	0	(.)	-
B4. Specify Other Medication Name, 10 days prior to enrollment (4)	MEDSN_1_4			0	0	(.)	-
B4. Specify Other Medication Name, 10 days prior to enrollment (5)	MEDSN_1_5			0	0	(.)	-
B4. Specify Other Medication Name, 10 days prior to enrollment (6)	MEDSN_1_6			0	0	(.)	-
B4. Specify Other Medication Name, 10 days prior to enrollment (7)	MEDSN_1_7			0	0	(.)	-
B4. Specify Other Medication Name, 10 days prior to enrollment (8)	MEDSN_1_8			0	0	(.)	-
B4. Specify Other Medication Name, 10 days prior to enrollment (9)	MEDSN_1_9			0	0	(.)	-
B4. Specify Other Medication Name, 10 days prior to enrollment (10)	MEDSN_1_10			0	0	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
B4. Specify Other Medication Name, 10 days prior to enrollment (11)	MEDSN_1_11			0	0	(.)	-
B4. Specify Other Medication Name, 10 days prior to enrollment (12)	MEDSN_1_12			0	0	(.)	-
C1. Number of medications during hospitalization	NUMMEDS2			198(0)	2.17(2.06)	2.00(1.00,3.00)	0.00-9.00
<created var> Concatenation of ALL in-hospital meds	HMEDS			0	0	(.)	-
<created var> Concatenation of ALL 'other' in-hospital meds	HMEDS_SP			0	0	(.)	-
<created var> Medication code (in hospital): _ _ _ _ (0)	HMEDCODE_0	03.00-03.99: Antibiotics	33(16.7)				
		10.00-10.99: Bronchodilators	2(1.0)				
		13.00-13.99: Converting Enzyme Inhibitors	1(0.5)				
		14.00-14.99: Diuretics	2(1.0)				
		15.00-15.99: Electrolytes	3(1.5)				
		16.00-16.99: Gastrointestinals	19(9.6)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	89(44.9)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		99.99: Unclassified	5(2.5)				
		<i>Missing</i>	44(22.2)				
<created var> Medication code (in hospital): _ _ _ _ (1)	HMEDCODE_1	03.00-03.99: Antibiotics	16(8.1)				
		06.00-06.99: Antihypertensives	1(0.5)				
		07.00-07.99: Anti thrombotics	1(0.5)				
		10.00-10.99: Bronchodilators	4(2.0)				
		13.00-13.99: Converting Enzyme Inhibitors	1(0.5)				
		14.00-14.99: Diuretics	1(0.5)				
		15.00-15.99: Electrolytes	1(0.5)				
		16.00-16.99: Gastrointestinals	7(3.5)				
		18.00-18.99: Hormonal Agents	1(0.5)				
		19.00-19.99: Inotropic Agents	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	58(29.3)				
		99.99: Unclassified	8(4.0)				
		<i>Missing</i>	98(49.5)				
<created var> Medication code (in hospital): _ _ _ _ (2)	HMEDCODE_2	03.00-03.99: Antibiotics	15(7.6)				
		07.00-07.99: Antithrombotics	3(1.5)				
		09.00-09.99: Biologics	1(0.5)				
		10.00-10.99: Bronchodilators	3(1.5)				
		15.00-15.99: Electrolytes	2(1.0)				
		16.00-16.99: Gastrointestinals	8(4.0)				
		18.00-18.99: Hormonal Agents	2(1.0)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	35(17.7)				
		99.99: Unclassified	2(1.0)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		<i>Missing</i>	127(64.1)				
<created var> _._ _ (3)	Medication code (in hospital): _ HMEDCODE_3	03.00-03.99: Antibiotics	8(4.0)				
		07.00-07.99: Antithrombotics	1(0.5)				
		08.00-08.99: Beta Blockers	1(0.5)				
		09.00-09.99: Biologics	1(0.5)				
		14.00-14.99: Diuretics	2(1.0)				
		15.00-15.99: Electrolytes	1(0.5)				
		16.00-16.99: Gastrointestinals	7(3.5)				
		18.00-18.99: Hormonal Agents	1(0.5)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	23(11.6)				
		99.99: Unclassified	2(1.0)				
		<i>Missing</i>	151(76.3)				
<created var> _._ _ (4)	Medication code (in hospital): _ HMEDCODE_4	02.00-02.99: Antiarrhythmics	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		03.00-03.99: Antibiotics	4(2.0)				
		05.00-05.99: Antiemetics	1(0.5)				
		07.00-07.99: Antithrombotics	1(0.5)				
		09.00-09.99: Biologics	1(0.5)				
		15.00-15.99: Electrolytes	1(0.5)				
		18.00-18.99: Hormonal Agents	1(0.5)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	15(7.6)				
		99.99: Unclassified	1(0.5)				
		<i>Missing</i>	172(86.9)				
<created var> Medication code (in hospital): _ _ _ _ (5)	HMEDCODE_5	03.00-03.99: Antibiotics	2(1.0)				
		05.00-05.99: Antiemetics	1(0.5)				
		14.00-14.99: Diuretics	1(0.5)				
		16.00-16.99: Gastrointestinals	4(2.0)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		18.00-18.99: Hormonal Agents	1(0.5)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	5(2.5)				
		99.99: Unclassified	1(0.5)				
		<i>Missing</i>	183(92.4)				
<created var> Medication code (in hospital): _ _ _ _ (6)	HMEDCODE_6	03.00-03.99: Antibiotics	2(1.0)				
		07.00-07.99: Antithrombotics	1(0.5)				
		09.00-09.99: Biologics	1(0.5)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	4(2.0)				
		<i>Missing</i>	190(96.0)				
<created var> Medication code (in hospital): _ _ _ _ (7)	HMEDCODE_7	03.00-03.99: Antibiotics	2(1.0)				
		07.00-07.99: Antithrombotics	1(0.5)				
		09.00-09.99: Biologics	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		16.00-16.99: Gastrointestinals	1(0.5)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	1(0.5)				
		<i>Missing</i>	192(97.0)				
<created var> Medication code (in hospital): _ _ _ (8)	HMEDCODE_8	03.00-03.99: Antibiotics	1(0.5)				
		22.00-22.99: Sedatives, hypnotics, anesthetics, analge	1(0.5)				
		<i>Missing</i>	196(99.0)				
C1. Medication code (in hospital, first 2 digits): _ _ _ (0)	HMED1_1_0			()	()	(,)	-
C1. Medication code (in hospital, first 2 digits): _ _ _ (1)	HMED1_1_1			()	()	(,)	-
C1. Medication code (in hospital, first 2 digits): _ _ _ (2)	HMED1_1_2			()	()	(,)	-
C1. Medication code (in hospital, first 2 digits): _ _ _ (3)	HMED1_1_3			()	()	(,)	-
C1. Medication code (in hospital, first 2 digits): _ _ _ (4)	HMED1_1_4			()	()	(,)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
C1. Medication code (in hospital, first 2 digits): _ _ _ _ (5)	HMED1_1_5			0	0	(.)	-
C1. Medication code (in hospital, first 2 digits): _ _ _ _ (6)	HMED1_1_6			0	0	(.)	-
C1. Medication code (in hospital, first 2 digits): _ _ _ _ (7)	HMED1_1_7			0	0	(.)	-
C1. Medication code (in hospital, first 2 digits): _ _ _ _ (8)	HMED1_1_8			0	0	(.)	-
C1. Medication code (in hospital, last 2 digits): _ _ _ _ (0)	HMED2_1_0			0	0	(.)	-
C1. Medication code (in hospital, last 2 digits): _ _ _ _ (1)	HMED2_1_1			0	0	(.)	-
C1. Medication code (in hospital, last 2 digits): _ _ _ _ (2)	HMED2_1_2			0	0	(.)	-
C1. Medication code (in hospital, last 2 digits): _ _ _ _ (3)	HMED2_1_3			0	0	(.)	-
C1. Medication code (in hospital, last 2 digits): _ _ _ _ (4)	HMED2_1_4			0	0	(.)	-
C1. Medication code (in hospital, last 2 digits): _ _ _ _ (5)	HMED2_1_5			0	0	(.)	-
C1. Medication code (in hospital, last 2 digits): _ _ _ _ (6)	HMED2_1_6			0	0	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
C1. Medication code (in hospital, last 2 digits): _ _ _ (7)	HMED2_1_7			0	0	(.)	-
C1. Medication code (in hospital, last 2 digits): _ _ _ (8)	HMED2_1_8			0	0	(.)	-
C1. Specify Other In-Hospital Medication Name (0)	HMEDN_1_0			0	0	(.)	-
C1. Specify Other In-Hospital Medication Name (1)	HMEDN_1_1			0	0	(.)	-
C1. Specify Other In-Hospital Medication Name (2)	HMEDN_1_2			0	0	(.)	-
C1. Specify Other In-Hospital Medication Name (3)	HMEDN_1_3			0	0	(.)	-
C1. Specify Other In-Hospital Medication Name (4)	HMEDN_1_4			0	0	(.)	-
C1. Specify Other In-Hospital Medication Name (5)	HMEDN_1_5			0	0	(.)	-
C1. Specify Other In-Hospital Medication Name (6)	HMEDN_1_6			0	0	(.)	-
C1. Specify Other In-Hospital Medication Name (7)	HMEDN_1_7			0	0	(.)	-
C1. Specify Other In-Hospital Medication Name (8)	HMEDN_1_8			0	0	(.)	-
D1. Patient received aspirin therapy	ASAHOSP	1:YES	198(100.0)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
D2.<created var> Age daily aspirin started	ASASTR_D_AGE			198(0)	3.28(2.25)	2.90(1.50,4.70)	0.20-12.30
	ASASTR_D_DRUG						
D3. Total daily aspirin dose started (mg)	ASASTART			198(0)	1265.98(601.63)	1200.00(872.00,1600.00)	75.00-3200.00
D4. Aspirin dose modified	ASAMOD	1:YES	25(12.6)				
		2:NO	173(87.4)				
D4a. Number of modifications	NUMMOD			198(0)	-1.59(1.12)	-2.00(-2.00,-2.00)	-2.00-4.00
<created var> Concatenation of ALL aspirin dose modifications	MOD_DOSE			()	()	(,)	-
<created var> Concatenation of ALL aspirin dose modification reasons	MOD_REASONS			()	()	(,)	-
<created var> Concatenation of ALL aspirin dose modifications 'specify other' reasons	MOD_REASONS_SP			()	()	(,)	-
D4.<created var> Age of aspirin dose modification (0)	ASAMODD1_0_AGE			25(173)	3.52(3.16)	2.70(1.20,5.00)	0.30-12.30
	ASAMODD1_0_DRUG						
D4.<created var> Age of aspirin dose modification (1)	ASAMODD1_1_AGE			5(193)	2.04(2.24)	1.00(0.80,1.60)	0.80-6.00
	ASAMODD1_1_DRUG						

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
D4.<created var> Age of aspirin dose modification (2)	ASAMODD1_2_AGE			1(197)	6.00()	6.00(6.00,6.00)	6.00-6.00
	ASAMODD1_2_DRUG						
D4.<created var> Age of aspirin dose modification (3)	ASAMODD1_3_AGE			1(197)	6.00()	6.00(6.00,6.00)	6.00-6.00
	ASAMODD1_3_DRUG						
D4a. Modified daily aspirin dose (mg) (0)	ASAMODS1_0			25(173)	914.92(1048.67)	500.00(80.00,1600.00)	20.00-3250.00
D4a. Modified daily aspirin dose (mg) (1)	ASAMODS1_1			5(193)	784.20(1082.64)	280.00(41.00,960.00)	40.00-2600.00
D4a. Modified daily aspirin dose (mg) (2)	ASAMODS1_2			1(197)	3120.00()	3120.00(3120.00,3120.00)	3120.00-3120.00
D4a. Modified daily aspirin dose (mg) (3)	ASAMODS1_3			1(197)	2187.00()	2187.00(2187.00,2187.00)	2187.00-2187.00
D4. Reason for aspirin dose modification (0)	ASAMORS1_0	-9:MISSING	173(87.4)				
		1:VOMITING	1(0.5)				
		3:ELEVATED ALT/AST	4(2.0)				
		4:DEFERESCENCE	8(4.0)				
		99:OTHER	12(6.1)				
D4. Reason for aspirin dose modification (1)	ASAMORS1_1	-9:MISSING	193(97.5)				
		4:DEFERESCENCE	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		99:OTHER	4(2.0)				
D4. Reason for aspirin dose modification (2)	ASAMORS1_2	-9:MISSING	197(99.5)				
		99:OTHER	1(0.5)				
D4. Reason for aspirin dose modification (3)	ASAMORS1_3	-9:MISSING	197(99.5)				
		99:OTHER	1(0.5)				
D5. Daily aspirin stopped during hospitalization	ASASTP	1:YES	1(0.5)				
		2:NO	197(99.5)				
D5a.<created var> Age aspirin stopped during hospitalization	ASASTP_D_AGE			1(197)	4.60()	4.60(4.60,4.60)	4.60-4.60
	ASASTP_D_DRUG						
E1. Antithrombotic therapy	ATHROM	1:YES	3(1.5)				
		2:NO	195(98.5)				
E1a. Number of antithrombotic medications	NUMATHRO			3(195)	2.00(1.00)	2.00(1.00,3.00)	1.00-3.00
<created var> Concatenation of ALL anti-thrombotic therapies	ANTITHROMS			()	()	(.)	-
<created var> Concatenation of ALL 'other' anti-thrombotic therapies	ANTITHROMS_SP			()	()	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
<created var> Anti-Thrombotic medication: _ _ _ _ (0)	ANTITHROM_0	07.00-07.99: Antithrombotics	3(1.5)				
		<i>Missing</i>	195(98.5)				
<created var> Anti-Thrombotic medication: _ _ _ _ (1)	ANTITHROM_1	07.00-07.99: Antithrombotics	2(1.0)				
		<i>Missing</i>	196(99.0)				
<created var> Anti-Thrombotic medication: _ _ _ _ (2)	ANTITHROM_2	07.00-07.99: Antithrombotics	1(0.5)				
		<i>Missing</i>	197(99.5)				
E1. Anti-Thrombotic medication (first 2 digits): _ _ _ _ (0)	ATHRO1_1_0			0	0	(.)	-
E1. Anti-Thrombotic medication (first 2 digits): _ _ _ _ (1)	ATHRO1_1_1			0	0	(.)	-
E1. Anti-Thrombotic medication (first 2 digits): _ _ _ _ (2)	ATHRO1_1_2			0	0	(.)	-
E1. Anti-Thrombotic medication (last 2 digits): _ _ _ _ (0)	ATHRO2_1_0			0	0	(.)	-
E1. Anti-Thrombotic medication (last 2 digits): _ _ _ _ (1)	ATHRO2_1_1			0	0	(.)	-
E1. Anti-Thrombotic medication (last 2 digits): _ _ _ _ (2)	ATHRO2_1_2			0	0	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
E1. Specify anti-thrombitic medication (0)	ATHRON_1_0			()	()	(.)	-
E1. Specify anti-thrombitic medication (1)	ATHRON_1_1			()	()	(.)	-
E1. Specify anti-thrombitic medication (2)	ATHRON_1_2			()	()	(.)	-
E1. Anti-Thrombitic medication start date (0)	ANSTRD_1_0			3(195)	16037.00(162.86)	15947.00(15939.00,16225.00)	15939.00-16225.00
E1. Anti-Thrombitic medication start date (1)	ANSTRD_1_1			2(196)	16089.50(198.70)	16089.50(15949.00,16230.00)	15949.00-16230.00
E1. Anti-Thrombitic medication start date (2)	ANSTRD_1_2			1(197)	16230.00()	16230.00(16230.00,16230.00)	16230.00-16230.00
E1. Anti-Thrombitic medication stop date (0)	ANSTPD_1_0			3(195)	16040.33(164.32)	15950.00(15941.00,16230.00)	15941.00-16230.00
E1. Anti-Thrombitic medication stop date (1)	ANSTPD_1_1			1(197)	16230.00()	16230.00(16230.00,16230.00)	16230.00-16230.00
E1. Anti-Thrombitic medication stop date (2)	ANSTPD_1_2						
F1. Number of associated findings during hospitalization	F4NUMFIN			198(0)	1.45(2.12)	1.00(0.00,2.00)	0.00-14.00
<created var> Concatenation of ALL in-hospital findings/events	HEVENTS			()	()	(.)	-
<created var> Concatenation of ALL 'other' in-hospital findings/events	HEVENTS_SP			()	()	(.)	-
<created var> Findings/Events code (in hospital): _-_-_-_- (0)	HEVENTCODE_0	A-0001: Abdominal pain	2(1.0)				
		A-0003: Anaphylaxis	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0004: Anemia (Hct <30 mg/dl)	4(2.0)				
		A-0006: Arthralgia	2(1.0)				
		A-0009: Arthritis, ankles	1(0.5)				
		A-0015: Aseptic meningitis (confirmed by Lumbar Punctu	1(0.5)				
		A-0019: Cervical lymphadenopathy (>1.5 cm)	1(0.5)				
		A-0020: Complication of IV line	3(1.5)				
		A-0021: Cough	6(3.0)				
		A-0024: Desquamation, genitourinary area	1(0.5)				
		A-0025: Desquamation, lips	1(0.5)				
		A-0027: Diarrhea	9(4.5)				
		A-0032: Erythema, palms	1(0.5)				
		A-0035: Fluid retention/Edema	2(1.0)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0037: Headache	2(1.0)				
		A-0043: Hypertension (SBP>95th percentile)	1(0.5)				
		A-0044: Hypotension (SBP<5th percentile)	1(0.5)				
		A-0045: Increased appetite	1(0.5)				
		A-0047: Irritability	11(5.6)				
		A-0048: Mood changes	1(0.5)				
		A-0051: Periungual desquamation, hands	4(2.0)				
		A-0052: Periungual desquamation, feet	1(0.5)				
		A-0062: Rhinorrhea	1(0.5)				
		A-0063: Rigors	2(1.0)				
		A-0070: Strawberry tongue	1(0.5)				
		A-0071: Strep throat (confirmed by throat culture)	1(0.5)				
		A-0074: Vomiting	5(2.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-9999: Other non-cardiac, specify	38(19.2)				
		B-0024: Tachycardia (sinus rhythm >200 bpm)	1(0.5)				
		B-9999: Other cardiac, specify	1(0.5)				
		<i>Missing</i>	91(46.0)				
<created var> Findings/Events code (in hospital): _-____(1)	HEVENTCODE_1	A-0001: Abdominal pain	2(1.0)				
		A-0004: Anemia (Hct <30 mg/dl)	2(1.0)				
		A-0006: Arthralgia	1(0.5)				
		A-0011: Arthritis, hips	2(1.0)				
		A-0020: Complication of IV line	1(0.5)				
		A-0024: Desquamation, genitourinary area	1(0.5)				
		A-0027: Diarrhea	1(0.5)				
		A-0028: Dyspnea	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0030: Elevated liver function tests (>2x normal)	2(1.0)				
		A-0033: Erythema, soles	1(0.5)				
		A-0035: Fluid retention/Edema	1(0.5)				
		A-0036: Flushing	1(0.5)				
		A-0041: Hydrops of gall bladder (documented by ultraso	1(0.5)				
		A-0044: Hypotension (SBP<5th percentile)	1(0.5)				
		A-0045: Increased appetite	3(1.5)				
		A-0046: Insomnia	1(0.5)				
		A-0047: Irritability	11(5.6)				
		A-0049: Nervousness	1(0.5)				
		A-0060: Rash, pustular psoriasis	1(0.5)				
		A-0072: Sudden increase in fever	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0074: Vomiting	6(3.0)				
		A-9999: Other non-cardiac, specify	23(11.6)				
		B-0003: Arrhythmia	1(0.5)				
		B-9999: Other cardiac, specify	2(1.0)				
		<i>Missing</i>	130(65.7)				
<created var> Findings/Events code (in hospital): _-_-_-_(2)	HEVENTCODE_2	A-0001: Abdominal pain	2(1.0)				
		A-0018: Bulbar conjunctivitis	1(0.5)				
		A-0021: Cough	2(1.0)				
		A-0024: Desquamation, genitourinary area	1(0.5)				
		A-0025: Desquamation, lips	1(0.5)				
		A-0027: Diarrhea	1(0.5)				
		A-0028: Dyspnea	1(0.5)				
		A-0037: Headache	2(1.0)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0044: Hypotension (SBP<5th percentile)	4(2.0)				
		A-0045: Increased appetite	2(1.0)				
		A-0047: Irritability	4(2.0)				
		A-0051: Periungual desquamation, hands	1(0.5)				
		A-0053: Pneumonia (documented by chest x-ray)	1(0.5)				
		A-0063: Rigors	1(0.5)				
		A-0069: Sterile pyuria	1(0.5)				
		A-0072: Sudden increase in fever	1(0.5)				
		A-9999: Other non-cardiac, specify	9(4.5)				
		B-0003: Arrhythmia	1(0.5)				
		B-0012: Gallop	1(0.5)				
		B-9999: Other cardiac, specify	3(1.5)				
		<i>Missing</i>	158(79.8)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
<created var> Findings/Events code (in hospital): _ _ _ _ (3)	HEVENTCODE_3	A-0004: Anemia (Hct <30 mg/dl)	2(1.0)				
		A-0027: Diarrhea	1(0.5)				
		A-0030: Elevated liver function tests (>2x normal)	1(0.5)				
		A-0037: Headache	2(1.0)				
		A-0041: Hydrops of gall bladder (documented by ultraso	1(0.5)				
		A-0044: Hypotension (SBP<5th percentile)	1(0.5)				
		A-0046: Insomnia	1(0.5)				
		A-0047: Irritability	2(1.0)				
		A-0051: Periungual desquamation, hands	1(0.5)				
		A-0062: Rhinorrhea	1(0.5)				
		A-9999: Other non-cardiac, specify	8(4.0)				
		B-0003: Arrhythmia	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		B-9999: Other cardiac, specify	1(0.5)				
		<i>Missing</i>	175(88.4)				
<created var> Findings/Events code (in hospital): _-_-_- (4)	HEVENTCODE_4	A-0021: Cough	2(1.0)				
		A-0027: Diarrhea	1(0.5)				
		A-0028: Dyspnea	1(0.5)				
		A-0032: Erythema, palms	1(0.5)				
		A-0044: Hypotension (SBP<5th percentile)	1(0.5)				
		A-0047: Irritability	1(0.5)				
		A-0052: Periungual desquamation, feet	1(0.5)				
		A-0057: Rash, new onset	1(0.5)				
		A-0062: Rhinorrhea	1(0.5)				
		A-9999: Other non-cardiac, specify	5(2.5)				
		B-9999: Other cardiac, specify	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		<i>Missing</i>	182(91.9)				
<created var> Findings/Events code (in hospital): _- _ _ _ (5)	HEVENTCODE_5	A-0001: Abdominal pain	1(0.5)				
		A-0004: Anemia (Hct <30 mg/dl)	1(0.5)				
		A-0021: Cough	2(1.0)				
		A-0035: Fluid retention/Edema	1(0.5)				
		A-0043: Hypertension (SBP>95th percentile)	1(0.5)				
		A-0044: Hypotension (SBP<5th percentile)	1(0.5)				
		A-0075: Weakness	1(0.5)				
		A-9999: Other non-cardiac, specify	3(1.5)				
		<i>Missing</i>	187(94.4)				
<created var> Findings/Events code (in hospital): _- _ _ _ (6)	HEVENTCODE_6	A-0015: Aseptic meningitis (confirmed by Lumbar Punctu	1(0.5)				
		A-0034: Excema	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		A-0043: Hypertension (SBP>95th percentile)	1(0.5)				
		A-0047: Irritability	1(0.5)				
		A-0071: Strep throat (confirmed by throat culture)	1(0.5)				
		A-0072: Sudden increase in fever	1(0.5)				
		A-9999: Other non-cardiac, specify	2(1.0)				
		B-0009: Congestive Heart Failure (CHF)	1(0.5)				
		<i>Missing</i>	189(95.5)				
<created var> Findings/Events code (in hospital): _-_____(7)	HEVENTCODE_7	A-0003: Anaphylaxis	1(0.5)				
		A-0006: Arthralgia	1(0.5)				
		A-0024: Desquamation, genitourinary area	1(0.5)				
		A-0025: Desquamation, lips	1(0.5)				
		<i>Missing</i>	194(98.0)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
<created var> Findings/Events code (in hospital): _-____ (8)	HEVENTCODE_8	A-0001: Abdominal pain	1(0.5)				
		A-0070: Strawberry tongue	1(0.5)				
		A-9999: Other non-cardiac, specify	1(0.5)				
		<i>Missing</i>	195(98.5)				
<created var> Findings/Events code (in hospital): _-____ (9)	HEVENTCODE_9	A-0021: Cough	1(0.5)				
		B-0024: Tachycardia (sinus rhythm >200 bpm)	1(0.5)				
		<i>Missing</i>	196(99.0)				
<created var> Findings/Events code (in hospital): _-____ (10)	HEVENTCODE_10	B-9999: Other cardiac, specify	1(0.5)				
		<i>Missing</i>	197(99.5)				
<created var> Findings/Events code (in hospital): _-____ (11)	HEVENTCODE_11	A-0006: Arthralgia	1(0.5)				
		<i>Missing</i>	197(99.5)				
<created var> Findings/Events code (in hospital): _-____ (12)	HEVENTCODE_12	A-0035: Fluid retention/Edema	1(0.5)				

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
		<i>Missing</i>	197(99.5)				
<created var> Findings/Events code (in hospital): _-____ (13)	HEVENTCODE_13	B-0012: Gallop	1(0.5)				
		<i>Missing</i>	197(99.5)				
F1. Findings/Events code (in hosp, first character): _-____ (0)	HEVT1_1_0			0	0	(.)	-
F1. Findings/Events code (in hosp, first character): _-____ (1)	HEVT1_1_1			0	0	(.)	-
F1. Findings/Events code (in hosp, first character): _-____ (2)	HEVT1_1_2			0	0	(.)	-
F1. Findings/Events code (in hosp, first character): _-____ (3)	HEVT1_1_3			0	0	(.)	-
F1. Findings/Events code (in hosp, first character): _-____ (4)	HEVT1_1_4			0	0	(.)	-
F1. Findings/Events code (in hosp, first character): _-____ (5)	HEVT1_1_5			0	0	(.)	-
F1. Findings/Events code (in hosp, first character): _-____ (6)	HEVT1_1_6			0	0	(.)	-
F1. Findings/Events code (in hosp, first character): _-____ (7)	HEVT1_1_7			0	0	(.)	-
F1. Findings/Events code (in hosp, first character): _-____ (8)	HEVT1_1_8			0	0	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
F1. Findings/Events code (in hosp, first character): _-____ (9)	HEVT1_1_9			0	0	(.)	-
F1. Findings/Events code (in hosp, first character): _-____ (10)	HEVT1_1_10			0	0	(.)	-
F1. Findings/Events code (in hosp, first character): _-____ (11)	HEVT1_1_11			0	0	(.)	-
F1. Findings/Events code (in hosp, first character): _-____ (12)	HEVT1_1_12			0	0	(.)	-
F1. Findings/Events code (in hosp, first character): _-____ (13)	HEVT1_1_13			0	0	(.)	-
F1. Findings/Events code (in hosp, last 4 characters): _-____ (0)	HEVT2_1_0			0	0	(.)	-
F1. Findings/Events code (in hosp, last 4 characters): _-____ (1)	HEVT2_1_1			0	0	(.)	-
F1. Findings/Events code (in hosp, last 4 characters): _-____ (2)	HEVT2_1_2			0	0	(.)	-
F1. Findings/Events code (in hosp, last 4 characters): _-____ (3)	HEVT2_1_3			0	0	(.)	-
F1. Findings/Events code (in hosp, last 4 characters): _-____ (4)	HEVT2_1_4			0	0	(.)	-
F1. Findings/Events code (in hosp, last 4 characters): _-____ (5)	HEVT2_1_5			0	0	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
F1. Findings/Events code (in hosp, last 4 characters): _-____ (6)	HEVT2_1_6			0	0	(.)	-
F1. Findings/Events code (in hosp, last 4 characters): _-____ (7)	HEVT2_1_7			0	0	(.)	-
F1. Findings/Events code (in hosp, last 4 characters): _-____ (8)	HEVT2_1_8			0	0	(.)	-
F1. Findings/Events code (in hosp, last 4 characters): _-____ (9)	HEVT2_1_9			0	0	(.)	-
F1. Findings/Events code (in hosp, last 4 characters): _-____ (10)	HEVT2_1_10			0	0	(.)	-
F1. Findings/Events code (in hosp, last 4 characters): _-____ (11)	HEVT2_1_11			0	0	(.)	-
F1. Findings/Events code (in hosp, last 4 characters): _-____ (12)	HEVT2_1_12			0	0	(.)	-
F1. Findings/Events code (in hosp, last 4 characters): _-____ (13)	HEVT2_1_13			0	0	(.)	-
F1. Associated Findings/Events: Specify Other In-Hosp (0)	HEVTN_1_0			0	0	(.)	-
F1. Associated Findings/Events: Specify Other In-Hosp (1)	HEVTN_1_1			0	0	(.)	-
F1. Associated Findings/Events: Specify Other In-Hosp (2)	HEVTN_1_2			0	0	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
F1. Associated Findings/Events: Specify Other In-Hosp (3)	HEVTN_1_3			0	0	(.)	-
F1. Associated Findings/Events: Specify Other In-Hosp (4)	HEVTN_1_4			0	0	(.)	-
F1. Associated Findings/Events: Specify Other In-Hosp (5)	HEVTN_1_5			0	0	(.)	-
F1. Associated Findings/Events: Specify Other In-Hosp (6)	HEVTN_1_6			0	0	(.)	-
F1. Associated Findings/Events: Specify Other In-Hosp (7)	HEVTN_1_7			0	0	(.)	-
F1. Associated Findings/Events: Specify Other In-Hosp (8)	HEVTN_1_8			0	0	(.)	-
F1. Associated Findings/Events: Specify Other In-Hosp (9)	HEVTN_1_9			0	0	(.)	-
F1. Associated Findings/Events: Specify Other In-Hosp (10)	HEVTN_1_10			0	0	(.)	-
F1. Associated Findings/Events: Specify Other In-Hosp (11)	HEVTN_1_11			0	0	(.)	-
F1. Associated Findings/Events: Specify Other In-Hosp (12)	HEVTN_1_12			0	0	(.)	-
F1. Associated Findings/Events: Specify Other In-Hosp (13)	HEVTN_1_13			0	0	(.)	-

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (0) is recorded	HEVTD_1_0_AGE		107(91)		3.44(2.36)	3.10(1.50,4.90)	0.30-12.30
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (0) is recorded(day)	HEVTD_1_0_DRUG		106(92)		-0.50(8.86)	0.00(0.00,1.00)	-90.00-4.00
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (1) is recorded	HEVTD_1_1_AGE		68(130)		3.82(2.51)	3.80(1.60,5.35)	0.30-12.30
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (1) is recorded(day)	HEVTD_1_1_DRUG		68(130)		0.29(1.44)	0.00(0.00,1.00)	-7.00-3.00
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (2) is recorded	HEVTD_1_2_AGE		40(158)		4.24(2.62)	4.10(1.95,5.55)	0.30-12.30
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (2) is recorded(day)	HEVTD_1_2_DRUG		40(158)		0.83(1.84)	0.00(0.00,1.00)	-1.00-10.00
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (3) is recorded	HEVTD_1_3_AGE		23(175)		4.37(2.92)	4.10(2.10,4.90)	0.30-12.30
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (3) is recorded(day)	HEVTD_1_3_DRUG		23(175)		0.65(1.11)	1.00(0.00,1.00)	-1.00-3.00
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (4) is recorded	HEVTD_1_4_AGE		16(182)		4.34(2.48)	4.05(3.30,4.85)	1.10-11.60
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (4) is recorded(day)	HEVTD_1_4_DRUG		16(182)		0.69(1.08)	0.00(0.00,1.00)	0.00-3.00

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (5) is recorded	HEVTD_1_5_AGE			11(187)	4.75(2.82)	4.10(3.80,6.10)	1.10-11.60
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (5) is recorded(day)	HEVTD_1_5_DRUG			11(187)	0.45(1.04)	0.00(0.00,1.00)	-1.00-3.00
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (6) is recorded	HEVTD_1_6_AGE			9(189)	5.26(2.81)	4.60(4.00,6.10)	1.50-11.60
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (6) is recorded(day)	HEVTD_1_6_DRUG			9(189)	0.78(1.64)	1.00(0.00,1.00)	-2.00-4.00
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (7) is recorded	HEVTD_1_7_AGE			4(194)	5.45(1.22)	5.45(4.45,6.45)	4.10-6.80
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (7) is recorded(day)	HEVTD_1_7_DRUG			4(194)	0.75(1.50)	0.00(0.00,1.50)	0.00-3.00
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (8) is recorded	HEVTD_1_8_AGE			3(195)	5.90(1.01)	6.10(4.80,6.80)	4.80-6.80
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (8) is recorded(day)	HEVTD_1_8_DRUG			3(195)	0.33(1.53)	0.00(-1.00,2.00)	-1.00-2.00
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (9) is recorded	HEVTD_1_9_AGE			2(196)	5.45(0.92)	5.45(4.80,6.10)	4.80-6.10
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (9) is recorded(day)	HEVTD_1_9_DRUG			2(196)	1.00(0.00)	1.00(1.00,1.00)	1.00-1.00

Kawasaki Data Codebook
KD_FM04a: Inpatient Hospital Form (Part I)
(raw data)

DATA SET: k04a DATE CREATED: 26DEC2017

Number of Observations: 198

Number of Variables: 324

Organization of file: One Record per Patient

Variable Label (VAR)	Variable Name	Category	N(%)	N(Missing)	Mean(SD)	Median(Q1,Q3)	Range of Values
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (10) is recorded	HEVTD_1_10_AGE			1(197)	6.10()	6.10(6.10,6.10)	6.10-6.10
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (10) is recorded(day)	HEVTD_1_10_DRUG			1(197)	1.00()	1.00(1.00,1.00)	1.00-1.00
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (11) is recorded	HEVTD_1_11_AGE			1(197)	6.10()	6.10(6.10,6.10)	6.10-6.10
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (11) is recorded(day)	HEVTD_1_11_DRUG			1(197)	1.00()	1.00(1.00,1.00)	1.00-1.00
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (12) is recorded	HEVTD_1_12_AGE			1(197)	6.10()	6.10(6.10,6.10)	6.10-6.10
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (12) is recorded(day)	HEVTD_1_12_DRUG			1(197)	1.00()	1.00(1.00,1.00)	1.00-1.00
F1.<created var> Age when Associated Findings/Events Date: In-Hosp (13) is recorded	HEVTD_1_13_AGE			1(197)	6.10()	6.10(6.10,6.10)	6.10-6.10
F1.<created var> Time from drug/placebo started to Associated Findings/Events Date: In-Hosp (13) is recorded(day)	HEVTD_1_13_DRUG			1(197)	1.00()	1.00(1.00,1.00)	1.00-1.00
Form Version	VER_ID	A		198(100.0)			