

The CONTENTS Procedure

Data Set Name	OUTLIB._R102	Observations	553
Member Type	DATA	Variables	121
Engine	V9	Indexes	0
Created	Tuesday, October 22, 2013 10:36:31 AM	Observation Length	2600
Last Modified	Tuesday, October 22, 2013 10:36:31 AM	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Label			
Data Representation	WINDOWS_64		
Encoding	wlatin1 Western (Windows)		

Engine/Host Dependent Information	
Data Set Page Size	16384
Number of Data Set Pages	94
First Data Page	2
Max Obs per Page	6
Obs in First Data Page	5
Number of Data Set Repairs	0
Filename	\\neri1\Projects\PHN\Protocols\SVR\Data Manuals\Public dataset_r102.sas7bdat
Release Created	9.0301M1
Host Created	X64_ES08R2

The CONTENTS Procedure

-----Variables Ordered by Position-----						
#	Variable	Type	Len	Format	Informat	Label
1	blind_id	Char	12			Blinded ID
2	r102_age	Num	8			A3.<created var> Age at date of form completion, days
3	main549cohort	Num	8	YN.		<created var>In the SVR main analysis cohort: 1=yes, 2=No
4	APGAR1	Num	8	3.	3.	B1. APGAR score at 1 minute
5	APGAR5	Num	8	3.	3.	B2. APGAR score at 5 minutes
6	LACTATE	Num	8	YN.	3.	B3. Was lactate measured?
7	LACTMETH	Num	8	LACTATE_M.	3.	B3a. Method
8	HIGHLACT	Num	8	5.1	5.1	B3b. Highest lactate, mmol/L
9	INTUBAT	Num	8	YN.	3.	B4. Ever intubated
10	INTUB_R	Num	8	INTUB_R.	3.	B4a. Reason for first intubation
11	GASCO2	Num	8	YN.	3.	B5. Inhaled gases CO2
12	GASN2	Num	8	YN.	3.	B6. Inhaled gases N2
13	BNUMCATH	Num	8	3.	3.	C1. Number of cardiac catheterization intervention prior to Norwood
14	precath	Char	200			<created var> Concatenation of all pre-Norwood cardiac catheterization codes
15	pre_cath_0	Char	40			C1a.<created var> Pre-Norwood cardiac catheterization
16	bcath_age_0	Num	8			C1a.<created var> Age at pre-Norwood cardiac catheterization procedures, days
17	BCATHNAM_0	Char	50			C1a. Name of cardiac catheterization
18	pre_cath_1	Char	40			C1a.<created var> Pre-Norwood cardiac catheterization
19	bcath_age_1	Num	8			C1b.<created var> Age at pre-Norwood cardiac catheterization procedures, days
20	BCATHNAM_1	Char	50			C1a. Name of cardiac catheterization
21	pre_cath_2	Char	40			C1a.<created var> Pre-Norwood cardiac catheterization
22	bcath_age_2	Num	8			C1c.<created var> Age at pre-Norwood cardiac catheterization procedures, days
23	BCATHNAM_2	Char	50			C1a. Name of cardiac catheterization
24	CARDINT	Num	8	YN.	3.	C2. Cardiac operative interventions performed
25	ATRSEP	Num	8	YN.	3.	C2a. Atrial septectomy
26	atrsep_age	Num	8			C2a.<created var> Age at atrial septectomy performed in OR or at bedside, days
27	BALLOON	Num	8	YN.	3.	C2b. Left atrial decompression: Balloon
28	balloon_age	Num	8			C2b.<created var> Age at left atrial decompression - balloon performed in OR or at bedside, days
29	STENT	Num	8	YN.	3.	C2c. Left atrial decompression: Stent
30	stent_age	Num	8			C2c.<created var> Age at left atrial decompression - stent performed in OR or at bedside, days

The CONTENTS Procedure

-----Variables Ordered by Position-----						
#	Variable	Type	Len	Format	Informat	Label
31	PABAND	Num	8	YN.	3.	C2d. Bilateral PA banding
32	paband_age	Num	8			C2d.<created var> Age at bilateral PA banding in OR or at bedside, days
33	BNUMSURG	Num	8	3.	3.	C3. Number of other surgical procedures
34	BSURGCOD_0	Num	8	SGPROC.		C3a1. Surgical procedure prior to Norwood
35	BSURG_S_0	Char	50	\$40.		C3a2. 'Specify other' surgical procedure
36	BSURG_age_0	Num	8			C3a3.<created var> Age at other surgical procedures prior to Norwood, days
37	CPB	Num	8	6.	6.	[Added version B]C4. Number of above procedures for which patient was placed on cardiopulmonary bypass
38	CPB_EV_0	Num	8			[Added version B]C4.1.a. Procedure code
39	CPB_SPC_0	Char	50	\$200.		[Added version B]C4.1.a1. Specify other procedure code
40	CPB_MN_0	Num	8			[Added version B]C4.1.b. Bypass time, minutes
41	DHCA_YN_0	Num	8	YN.		[Added version B]C4.1.c. On DHCA
42	DHCA_MN_0	Num	8			[Added version B]C4.1.d. DHCA time, minutes
43	RCP_YN_0	Num	8			[Added version B]C4.1.e. On RCP
44	RCP_MN_0	Num	8			[Added version B]C4.1.f. RCP time, minutes
45	RCPFLOW_0	Num	8			[Added version B]C4.1.g. RCP flow, cc/kg/min
46	LOW_TEMP_0	Num	8			[Added version B]C4.1.h. Lowest temperature during bypass, Celsius
47	HCT_PCT_0	Num	8			[Added version B]C4.1.i. Hematocrit on bypass, percent
48	BNUMCOMP	Num	8	3.	3.	C5. Number of significant pre-Norwood complications
49	bcompcode	Char	200			<created var> Concatenation of all pre-Norwood complication codes
50	BCOMP_COD_0	Char	5	\$LIST_M.		C5a1. Pre-Norwood complication
51	BCOMP_S_0	Char	50	\$40.		C5a. 'Specify other' complication
52	BCOMP_age_0	Num	8			C5a2.<created var> Age at pre-Norwood complication, days
53	BCOMP_COD_1	Char	5	\$LIST_M.		C5b1. Pre-Norwood complication
54	BCOMP_S_1	Char	50	\$40.		C5b. 'Specify other' complication
55	BCOMP_age_1	Num	8			C5b2.<created var> Age at pre-Norwood complication, days
56	BCOMP_COD_2	Char	5	\$LIST_M.		C5c1. Pre-Norwood complication
57	BCOMP_S_2	Char	50	\$40.		C5c. 'Specify other' complication
58	BCOMP_age_2	Num	8			C5c2.<created var> Age at pre-Norwood complication, days
59	BCOMP_COD_3	Char	5	\$LIST_M.		C5d1. Pre-Norwood complication
60	BCOMP_S_3	Char	50	\$40.		C5d. 'Specify other' complication
61	BCOMP_age_3	Num	8			C5d2.<created var> Age at pre-Norwood complication, days
62	BCOMP_COD_4	Char	5	\$LIST_M.		C5e1. Pre-Norwood complication

The CONTENTS Procedure

-----Variables Ordered by Position-----						
#	Variable	Type	Len	Format	Informat	Label
63	BCOMP_S_4	Char	50	\$40.		C5e. 'Specify other' complication
64	BCOMP_age_4	Num	8			C5e2.<created var> Age at pre-Norwood complication, days
65	BCOMP COD_5	Char	5	\$LIST_M.		C5f1. Pre-Norwood complication
66	BCOMP_S_5	Char	50	\$40.		C5f. 'Specify other' complication
67	BCOMP_age_5	Num	8			C5f2.<created var> Age at pre-Norwood complication, days
68	BCOMP COD_6	Char	5	\$LIST_M.		C5g1. Pre-Norwood complication
69	BCOMP_S_6	Char	50	\$40.		C5g. 'Specify other' complication
70	BCOMP_age_6	Num	8			C5g2.<created var> Age at pre-Norwood complication, days
71	BCOMP COD_7	Char	5	\$LIST_M.		C5h1. Pre-Norwood complication
72	BCOMP_S_7	Char	50	\$40.		C5h. 'Specify other' complication
73	BCOMP_age_7	Num	8			C5h2.<created var> Age at pre-Norwood complication, days
74	BCOMP COD_8	Char	5	\$LIST_M.		C5i1. Pre-Norwood complication
75	BCOMP_S_8	Char	50	\$40.		C5i. 'Specify other' complication
76	BCOMP_age_8	Num	8			C5i2.<created var> Age at pre-Norwood complication, days
77	BCOMP COD_9	Char	5	\$LIST_M.		C5j1. Pre-Norwood complication
78	BCOMP_S_9	Char	50	\$40.		C5j. 'Specify other' complication
79	BCOMP_age_9	Num	8			C5j2.<created var> Age at pre-Norwood complication, days
80	BCOMP COD_10	Char	5	\$LIST_M.		C5k1. Pre-Norwood complication
81	BCOMP_S_10	Char	50	\$40.		C5k. 'Specify other' complication
82	BCOMP_age_10	Num	8			C5k2.<created var> Age at pre-Norwood complication, days
83	BCOMP COD_11	Char	5	\$LIST_M.		C5l1. Pre-Norwood complication
84	BCOMP_S_11	Char	50	\$40.		C5l. 'Specify other' complication
85	BCOMP_age_11	Num	8			C5l2.<created var> Age at pre-Norwood complication, days
86	BCOMP COD_12	Char	5	\$LIST_M.		C5m1. Pre-Norwood complication
87	BCOMP_S_12	Char	50	\$40.		C5m. 'Specify other' complication
88	BCOMP_age_12	Num	8			C5m2.<created var> Age at pre-Norwood complication, days
89	BCOMP COD_13	Char	5	\$LIST_M.		C5n1. Pre-Norwood complication
90	BCOMP_S_13	Char	50	\$40.		C5n. 'Specify other' complication
91	BCOMP_age_13	Num	8			C5n2.<created var> Age at pre-Norwood complication, days
92	BCOMP COD_14	Char	5	\$LIST_M.		C5o1. Pre-Norwood complication
93	BCOMP_S_14	Char	50	\$40.		C5o. 'Specify other' complication
94	BCOMP_age_14	Num	8			C5o2.<created var> Age at pre-Norwood complication, days
95	BCOMP COD_15	Char	5	\$LIST_M.		C5p1. Pre-Norwood complication
96	BCOMP_S_15	Char	50	\$40.		C5p. 'Specify other' complication

The CONTENTS Procedure

-----Variables Ordered by Position-----						
#	Variable	Type	Len	Format	Informat	Label
97	BCOMP_age_15	Num	8			C5p2.<created var> Age at pre-Norwood complication, days
98	BCOMP COD_16	Char	5	\$LIST_M.		C5q1. Pre-Norwood complication
99	BCOMP_S_16	Char	50	\$40.		C5q. 'Specify other' complication
100	BCOMP_age_16	Num	8			C5q2.<created var> Age at pre-Norwood complication, days
101	BCOMP COD_17	Char	5	\$LIST_M.		C5r1. Pre-Norwood complication
102	BCOMP_S_17	Char	50	\$40.		C5r. 'Specify other' complication
103	BCOMP_age_17	Num	8			C5r2.<created var> Age at pre-Norwood complication, days
104	BCOMP COD_18	Char	5	\$LIST_M.		C5s1. Pre-Norwood complication
105	BCOMP_S_18	Char	50	\$40.		C5s. 'Specify other' complication
106	BCOMP_age_18	Num	8			C5s2.<created var> Age at pre-Norwood complication, days
107	BCOMP COD_19	Char	5	\$LIST_M.		C5t1. Pre-Norwood complication
108	BCOMP_S_19	Char	50	\$40.		C5t. 'Specify other' complication
109	BCOMP_age_19	Num	8			C5t2.<created var> Age at pre-Norwood complication, days
110	BCOMP COD_20	Char	5	\$LIST_M.		C5u1. Pre-Norwood complication
111	BCOMP_S_20	Char	50	\$40.		C5u. 'Specify other' complication
112	BCOMP_age_20	Num	8			C5u2.<created var> Age at pre-Norwood complication, days
113	BCOMP COD_21	Char	5	\$LIST_M.		C5v1. Pre-Norwood complication
114	BCOMP_S_21	Char	50	\$40.		C5v. 'Specify other' complication
115	BCOMP_age_21	Num	8			C5v2.<created var> Age at pre-Norwood complication, days
116	BCOMP COD_22	Char	5	\$LIST_M.		C5w1. Pre-Norwood complication
117	BCOMP_S_22	Char	50	\$40.		C5w. 'Specify other' complication
118	BCOMP_age_22	Num	8			C5w2.<created var> Age at pre-Norwood complication, days
119	BCOMP COD_23	Char	5	\$LIST_M.		C5x1. Pre-Norwood complication
120	BCOMP_S_23	Char	50	\$40.		C5x. 'Specify other' complication
121	BCOMP_age_23	Num	8			C5x2.<created var> Age at pre-Norwood complication, days